

15 REFERENCES

- Allan, J.D. and A.S. Flecker. 1993. Biodiversity conservation in running waters: Identifying the major factors that threaten destruction of riverine species and ecosystems. *BioScience* 43:32-42.
- Baker, J.P. and S.W. Christensen. 1991. Effects of acidification on biological communities in aquatic ecosystems. In: Charles, D.F. and S. Christie, eds. *Acidic Deposition and Aquatic Ecosystems: Regional Case Studies*. Springer-Verlag, New York.
- Baker, J.P., D.P. Bernard, S.W. Christensen, M.J. Sale, J. Freda, K.J. Heltcher, D.R. Marmorek, L. Rowe, P.F. Scanlon, G.W. Suter II, W.J. Warren-Hicks, and P.M. Welbourn. 1990a. Biological effects of changes in surface water acid-base chemistry. *Acidic Deposition: State of Science/Technology Report No. 13*. National Acid Precipitation Assessment Program.
- Baker, L.A., P.R. Kaufmann, A.T. Herlihy, and J.M. Eilers. 1990b. Current status of surface water acid-base chemistry. *Acidic Deposition: State of Science/Technology Report No. 9*, National Acid Precipitation Assessment Program.
- Barbour, M.T., and J.B. Stribling. 1991. Use of habitat assessment in evaluating the biological integrity of stream communities. In: *Biological Criteria: Research and Regulation*. U.S. Environmental Protection Agency, Washington, D.C. EPA-440/5-91-005. pp. 25-38.
- Barton, D.R., W.D. Taylor, and R.M. Biette. 1985. Dimensions of riparian buffer strips required to maintain trout habitat in Southern Ontario streams. *North American Journal of Fisheries Management* 5:364-378.
- Bartoshesky, J., C. Maxwell, N. Pfeffer, and R. Roig. 1987. Transport of acidic matter in Maryland: May-December 1984. Martin Marietta Environmental Systems, Columbia Maryland. Report No. AD-87-4 prepared for Maryland Dept. Nat. Res., Annapolis, Maryland. NTIS No. PB87-198974/AS.
- Bendell, B.E. 1988. Lake acidity and the distribution and abundance of water striders (Hemiptera:gerridae) near Sudbury, Ontario. *Canadian Journal of Zoology* 66:2209-2211.
- Bendell, B.E. and D.K. McNicol. 1987. Fish predation, lake acidity and the composition of aquatic insect assemblages. *Hydrobiologia* 150:193-202.
- Berkman H.E. and C.F. Rabeni. 1987. Effect of siltation on stream fish communities. *Environmental Biology of Fisheries* 18:285-294.
- Besley, F.W. 1916. *The forests of Maryland*. Maryland State Board of Forestry, Baltimore, Maryland.
- Biggs, B.J.F. 1996. Hydraulic habitat of plants in streams. *Regulated Rivers: Research and Management*. 12: 131-144.
- Bode, R.W. 1988. *Methods for Rapid Biological Assessment of Streams*. New York State Department of Environmental Conservation report, Albany, NY.
- Bode, R.W. and M.A. Novak. 1995. Development and application of biological impairment criteria for rivers and streams in New York State. In: W.S. Davis and T.P. Simon., eds. *Biological Assessment and Criteria: Tools for Water Resource Planning and Decision Making*. Lewis Publishers, Boca Raton, FL. Pp. 97-107.
- Brier, S. 1980. Analysis of contingency tables under cluster sampling. *Biometrika* 67:591-596.
- Butcher, R.W. 1933. Studies on the ecology of rivers. On the distribution of macrophytic vegetation in the rivers of Britain. *Journal of Ecology* 21:58-91.
- Cairns, J. and J.R. Pratt. 1993 A history of biological monitoring using benthic macroinvertebrates. In Rosenberg, D.M. and V.H. Resh, eds. *Freshwater Monitoring and Benthic Macroinvertebrates*. Chapman and Hall, New York.
- CBRM (Chesapeake Bay Research and Monitoring Division). 1989. Acid deposition in Maryland. Summary of results through 1988. Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division, Annapolis, MD. AD-89-1. NTIS No. PB89-182729/AS.

- Center for Watershed Protection. 1998. *Rapid Watershed Planning Handbook: A Comprehensive Guide for Managing Urbanizing Watersheds*. Center for Watershed Protection, Ellicott City, MD.
- CEQ (Council on Environmental Quality). 1993. Incorporating Biodiversity Considerations Into Environmental Impact Analysis Under the National Environmental Policy Act. Council on Environmental Quality, Executive Office of the President, Washington, DC. 29 pp.
- Chaillou, J.C. 1995. Technical Memorandum, The Maryland Biological Stream Survey: Summary of landowner contact procedures. Prepared by Versar, Inc., Columbia, MD, for Maryland Department of Natural Resources, Monitoring and Non-tidal Assessment Division, Annapolis, MD. CBWP-MANTA-EA-95-1.
- Chesapeake Bay Program. 1993. Chesapeake Bay Policy for the Introduction of Non-Indigenous Aquatic Species. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis, Maryland.
- Chesapeake Bay Program. 1995. State of the Chesapeake Bay, 1995. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis, Maryland. <http://www.chesapeakebay.net/bayprogram/pubs/state95/state.htm>.
- The Chesapeake Research Consortium, Inc. 1976. The Effects of Tropical Storm Agnes on the Chesapeake Bay Estuarine System. CRC Publication No. 54. The Johns Hopkins University Press, Baltimore, MD. 639 pp.
- Claudi, R. and G.L. Mackie. 1994. *Practical Manual for Zebra Mussel Monitoring and Control*. Lewis Publishers, Boca Raton, FL.
- Cochran, W.G. 1977. Sampling Techniques. 3rd ed. New York: John Wiley and Sons.
- COMAR (Code of Maryland Regulations). 1995. Code of Maryland Regulations: 26.08.02.08 - Water Quality. Maryland Department of the Environment. Baltimore, Maryland.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. Fish and Wildlife Service, U.S. Department of the Interior, Washington DC
- Davis, G.M., W. Heard, S. Fuller, and C. Hesterman. 1981. Molecular genetics and speciation in *Elliptio* and its relationships to other taxa of North American Unionidae (Bivalvia). Biological Journal of the Linnean Society 15:131-150.
- Dennis, R.L. 1996. Using the regional acid deposition model to determine the nitrogen deposition airshed of the Chesapeake Bay watershed. Accepted for publication in: Atmospheric deposition to the Great Lakes and Coastal Waters, J. Baker, ed. Society of Environmental Toxicology and Chemistry.
- Dudley, T.L., Cooper, S.D., and Hemphill, N. 1986. Effects of macroalgae on a stream invertebrate community. Journal of North American Benthological Society. 5:93-106.
- Dixit, S.S. and J.P. Smol. 1989. Algal assemblages in acid-stressed lakes and particular emphasis on diatoms and chrysophytes. In: S.S. Rao, ed. Acid stress and aquatic microbial interactions. CRC Press, Inc., Boca Raton, FL.
- Efron, B. and G. Gong. 1983. A leisurely look at the bootstrap, the jackknife and crossvalidation. American Statistician 37:36-48.
- Eilers, J.M., G.J. Lien, and R.G. Berg. 1984. Aquatic organisms in acidic environments: A literature review. Wisconsin Department of Natural Resources, Technical Bulletin 150. 18pp.
- Eno, A.S. and R.L. Di Silvestro. 1985. Audubon Wildlife Report 1985. The National Audubon Society. New York, NY.
- EPA (U.S. Environmental Protection Agency). 1993. R-EMAP: Regional Environmental Monitoring and Assessment Program. Office of Research and Development, Washington DC. EPA/625/R-93/012.
- EPA (U.S. Environmental Protection Agency). 1990. Biological criteria: National program guidance for surface waters. Office of Water Regulations and Standards, Washington DC. EPA-440/5-90-004.

- EPA (U.S. Environmental Protection Agency). 1987. Handbook of methods for acid deposition studies: Laboratory analysis for surface water chemistry. EPA-600/4-87/026.
- Eriksson, M.O.G., L. Henrikson, B.I. Bilsson, G. Nyman, H.G. Oscarson, A. and E. Stenson. 1980. Predator-prey relations important for the biotic changes in acidified lakes. *Ambio* 9:248-249.
- Eshleman, K.N. 1995. Predicting regional episodic acidification of streams in Western Maryland. Prepared by Department of Environmental Services, University of Virginia, Charlottesville, VA for Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division. CBRM-AD-95-7.
- Fay, R.E. 1985. A jackknifed chi-squared test for complex samples. *Journal of the American Statistical Association* 80:148-157.
- Ford, J. 1988. The effects of chemical stress on aquatic species composition and community structure. In: S.A. Levin, M.A. Harwell, J.R. Kelly, and K.D. Kimball, eds. *Ecotoxicology: problems and approaches*. Springer-Verlag, N.Y.
- Fore, L.S., J.R. Karr, and L.L. Conquest. 1994. Statistical properties of an index of biological integrity used to evaluate water resources. *Canadian Journal of Fisheries and Aquatic Science* 51:1077-1087.
- Foster, J. 1995. Personal communication with J. Foster, Maryland Dept. Nat. Res., Tidewater Administration, Annapolis, MD.
- Gerritsen, J., A. Janicki, P. Kazyak, and D. Heimbuch. 1992. Selection of Western Maryland streams for mitigation of acidification. Prepared by Versar, Inc., Columbia, MD and Coastal Environmental Services, Linthicum, MD for Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division. CBRM-AD-93-8.
- Gill, J.D., ed. 1993. *Acidic Depositions: Effects on Wildlife and Habitats*. Prepared with the Wildlife Society Technical Advisory Committee on Acid Rain and Wildlife (Ad Hoc). Technical Review 93-1.
- Gorman, O.T. and J.R. Karr. 1978. Habitat structure and stream fish communities. *Ecology* 59:507-515.
- Graham, J.H. 1993. Species diversity of fishes in naturally acidic lakes in New Jersey. *Transactions of the American Fisheries Society* 122:1043-1057.
- Greening, H.S., A.J. Janicki, R.J. Klauda, D.M. Baudler, D.M. Levin, and E.S. Perry. 1989. An evaluation of stream liming effects on water quality and spawning of migratory fishes in Maryland Coastal Plain streams: 1988 results. Final Report. Prepared by International Science and Technology, Inc., Sterling, VA; Coastal Environmental Services, Inc., Linthicum, MD, and Johns Hopkins University, Applied Physics Laboratory, Shady Side, MD, for Living Lakes, Inc., Washington, DC and the Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division, Annapolis, MD. AD-89-5. NTIS No. PB90-162231/AS.
- Gregory, S.V., F.J. Swanson, W.A. McKee, and K.W. Cummins. 1991. An ecosystem perspective of riparian zones: Focus on links between land and water. *BioScience* 41:540-551.
- Hall, L.W., Jr., W.D. Killen, J. Kilian, and R.D. Anderson. 1999a. Pilot study to Develop Assessment Methods and Biological Indicators for Tidal Streams in Maryland's Coastal Plain. Prepared by University of Maryland, Agricultural Experiment Station, Wye Research and Education Center, Queenstown, MD for Maryland Department of Natural Resources, Monitoring and Non-Tidal Assessment Division. CBWP-MANTA-EA-99-1.
- Hall, L.W., Jr., R.P. Morgan, E.S. Perry, and A. Waltz. 1999b. Development of a Physical Habitat Index for Maryland Freshwater Streams. Draft Report to Maryland Department of Natural Resources, Monitoring and Non-tidal Assessment Division, Annapolis, MD.
- Harris, H.S. 1975. Distributional Survey (Amphibia/-Reptilia): Maryland and the District of Columbia. *Bulletin Maryland Herpetological Society*. 11(3): 73-167.
- Havas, M. and T.C. Hutchinson. 1982. Aquatic invertebrates from the Smoking Hills, N.W.T.: effect of pH and metals on mortality. *Canadian Journal of Zoology* 39:980-903.

- Heimbuch, D.G., H.T. Wilson, S.B. Weisberg, J.H. Vølstad, and P.F. Kazyak. 1997. Estimating fish abundance in stream surveys by using double-pass removal sampling. *Transactions of the American Fisheries Society* 126:795-803.
- Herlihy, A.T., P.R. Kaufmann, M.E. Mitch, and D.D. Brown. 1990. Regional estimates of acid mine drainage impact on streams in the Mid-Atlantic and Southeastern United States. *Water, Air, and Soil Pollution* 50:91-107.
- Hilsenhoff, W.L. 1988. Seasonal correction factors for the biotic index. *Great Lakes Entomologist* 21:9-13.
- Hilsenhoff, W.L. 1987. An improved biotic index or organic stream pollution. *Great Lakes Entomologist* 20:31-39.
- Hilsenhoff, W.L. 1977. Use of arthropods to evaluate water quality in streams. Wisconsin Department of Natural Resources, Technical Bulletin No. 100.
- Hollander, M. and D.A. Wolfe. 1973. *Nonparametric Statistical Methods*. John Wiley & Sons, New York. 503 pp.
- Hoopes, R.J. 1975. Flooding as a result of Hurricane Agnes and its effect on a native brook trout population in an infertile headwater stream in central Pennsylvania. *Trans. Am. Fish. Soc.* 104:96-99.
- Hunter, M.L. 1996. *Fundamentals of Conservation Biology*. Blackwell Science, Inc. Cambridge, MA.
- Hunter, M.L., Jr. 1990. *Wildlife, forests, and forestry: Principles of managing forests for biological diversity*. Prentice-Hall, Englewood Cliffs, New Jersey.
- Janicki, A. 1995. An evaluation of stream chemistry and watershed characteristics in the Appalachian Plateau and Blue Ridge regions of Maryland. Prepared by Coastal Environmental Services, Inc., Linthicum, MD, for the U.S. Environmental Protection Agency, Corvallis, OR and the Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division, Annapolis, MD. CBRM-AD-95-1.
- Janicki, A. 1991. A survey of potential yellow perch spawning streams in the Maryland portion of the Chesapeake Bay Drainage. Prepared by Coastal Environmental Services, Inc., Linthicum, MD, for the Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division, Annapolis, MD. CBRM-AD-91-2.
- Janicki, A. and H. Wilson. 1994. Population estimation of streams in the Maryland Coastal Plain receiving acidity inputs from acidic deposition and agricultural sources. Prepared by Coastal Environmental Services, Inc., Linthicum, MD, for the Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division, Annapolis, MD. CBRM-AD-94-10.
- Janicki, A., M. Morgan, and J. Lynch. 1995. An evaluation of stream chemistry and watershed characteristics in the Mid-Atlantic Coastal Plain. Prepared by Coastal Environmental Services, Inc., Linthicum, MD, Rutgers University, Camden, NJ, and Pennsylvania State University, University Park, PA for the Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division, Annapolis, MD. CBRM-AD-95-2.
- Janicki, A., D. Wade, D. Heimbuch, H. Wilson, P. Jacobson, P. Kazyak. 1993. Maryland Biological Stream Survey design report. Prepared for Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division, by Coastal Environmental Services, Linthicum, MD. CBRM-AD-93-1.
- Jenkins, R.E. and N.M. Burkhead. 1993. *Freshwater fishes of Virginia*. American Fisheries Society, Bethesda, Maryland.
- Jessen, R.J. 1978. *Statistical Survey Techniques*. John Wiley, New York.
- Johnson, R. 1970. Systematics and zoogeography of Unionidae of the southern Atlantic slope region. *Bulletin of the Museum of Comparative Zoology* 140(6):333-338.
- Karr, J.R. 1993. Defining and assessing ecological integrity: beyond water quality. *Environmental Toxicology and Chemistry* 12:1521-1531.

- Karr, J.R. 1991. Biological integrity: A long-neglected aspect of water resource management. *Ecological Applications* 1:66-84.
- Karr, J.R. and D.R. Dudley. 1981. Ecological perspectives on water quality goals. *Environmental Management* 5:55-68.
- Karr, J.R. and I.J. Schlosser. 1978. Water resources and the land-water interface. *Science* 201:229-234.
- Karr, J.R., K.D. Fausch, P.L. Angermeier, P.R. Yant, and I.J. Schlosser. 1986. Assessing biological integrity in running waters: a method and its rationale. Illinois Natural History Survey Special Publication 5. 28 pp.
- Kaufmann, P.R., A.T. Herlihy, and L.A. Baker. 1992. Sources of acidity in lakes and streams of the United States. *Environmental Pollution* 77:115-122.
- Kazyak, P.F. 1996. Maryland Biological Stream Survey Sampling Manual. Maryland Department of Natural Resources, Monitoring and Non-tidal Assessment Division.
- Kazyak, P.F. 1994. Maryland Biological Stream Survey Sampling Manual. Prepared by Versar, Inc., Columbia, MD, for Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division.
- Kerans, B.L. and J.R. Karr. 1994. A benthic index of biotic integrity (B-IBI) for rivers of the Tennessee valley. *Ecological Applications* 4:768-785.
- Klauda, R.J. 1989. Definitions of critical environmental conditions for selected Chesapeake Bay finfishes exposed to acidic episodes in spawning and nursery habitats. Prepared by Johns Hopkins University, Applied Physics Laboratory, Shady Side, MD, for the Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division, Annapolis, MD. AD-89-6. NTIS No. PB90-161928/AS.
- Klemm, D.J., P.A. Lewis, F. Fulk, and J.M. Lazorchak. 1990. Macroinvertebrate field and laboratory methods for evaluating the biological integrity of surface waters. U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory, Cincinnati, OH. EPA/600/4-90/030.
- Klein, R.D. 1979. Urbanization and stream quality impairment. *Water Resources Bulletin* 15:948-963.
- Kline, M. 1997. Personal communication with Matt Kline, Appalachian Laboratory, University of Maryland Center for Environmental Science, Frostburg, MD.
- Knapp, C.M., W.P. Saunders, D.G. Heimbuch, H.S. Greening, and G.J. Filbin. 1988. Maryland Synoptic Stream Chemistry Survey: Estimating the number and distribution of streams affected by or at risk from acidification. Prepared by International Science and Technology, Inc., Reston, VA, for the Maryland Department of Natural Resources, Power Plant Research Program, Annapolis, MD. AD-88-2. NTIS No. PB88-213996/AS.
- Knapp, C.M. and W.P. Saunders. 1987. Maryland Synoptic Stream Chemistry Survey design report. Prepared by International Science and Technology, Inc. for Maryland Department of Natural Resources, Power Plant Research Program. AD-87-5.
- Leasner, L. 1999. Personal communication with L. Leasner, Maryland Dept. Nat. Res., Fisheries Service, Annapolis, MD.
- Lee, D.S., S. Platania, C.R. Gilbert, R. Franz, and A. Norden. 1981. A revised list of the freshwater fishes of Maryland and Delaware. *Proceedings of the Southeastern Fishes Council* 3(3):1-10.
- Lenat, D.R. 1993. A biotic index for the southeastern United States: Derivation and list of tolerance values, with criteria for assigning water quality ratings. *Journal of the North American Benthological Society* 12:279-290.
- Lenat, D.R. 1988. Water quality assessment of streams using a qualitative collection method for benthic macroinvertebrates. *Journal of North American Benthological Society* 7:222-223.
- Leonard, P.M. and D.J. Orth. 1986. Application and testing of an index of biotic integrity in small, coolwater streams. *Transactions of the American Fisheries Society* 115:401-414.
- Lock, M.A. 1981. 'River epilithon- a light and organic energy transducer' in Lock, M.A. and Williams, D.D. (Eds), *Perspectives in Running Water Ecology*. Plenum Press, New York and London. Pp. 3-40.

- Lyons, J., L. Wang, and T.D. Simonson. 1996. Development and validation of an index of biotic integrity for coldwater streams in Wisconsin. *North American Journal of Fisheries Management* 16:241-256.
- Maryland Geological Survey (MGS). 1996. Maryland Geological Survey: directory of mineral producers in Maryland-- 1995. Maryland Department of Natural Resources, Maryland Geological Survey Information Circular No. 53. Baltimore, Maryland.
- Maryland State Highway Administration, Road Network Map, Annapolis MD.
- Maser, C. and J.R. Sedell. 1994. From the forest to the sea: the ecology of wood in streams, rivers, estuaries, and oceans. St. Lucie Press. Delray Beach, Florida.
- Master, L. 1990. The imperiled status of North American aquatic animals. *Biodiversity Network News* 3:5-7.
- McCann, J. 1998. Personal communication with J. McCann, Maryland Department of Natural Resources, Annapolis, MD.
- MDNR (Maryland Department of Natural Resources). Population Density Map. Watershed Management and Analysis Division, Annapolis MD.
- MDNR (Maryland Department of Natural Resources). Soil Erodibility Map. Watershed Management and Analysis Division, Annapolis MD.
- MDNR (Maryland Department of Natural Resources). Fish Migration Barriers Map. Fisheries Service Division. Unpublished Data.
- MDNR (Maryland Department of Natural Resources). 1997. Rare, threatened and endangered animals of Maryland. Wildlife and Heritage Division, Annapolis, MD. October 28, 1997.
- MDNR (Maryland Department of Natural Resources). 1996. Ecosystem-Based Management: Recommendations of the Ecosystem Council. Maryland Department of Natural Resources, Annapolis, MD. December 1996.
- Miller, D.L., P.M. Leonard, R.M. Hughes, J.R. Karr, P.B. Moyle, L.H. Schrader, B.A. Thompson, R.A. Daniels, K.S. Fausch, G.A. Fitzhugh, J.R. Gammon, D.B. Halliwell, P.L. Angermeier, and D.J. Orth. 1988. Regional applications of an index of biotic integrity for use in water resource management. *Fisheries* 13(5):12-20.
- Miller, P.E., M.T. Southerland, N.E. Roth, E. Rzemien, and J.A. Lynch. 1998. Changes in acid deposition and the projected impacts on Maryland streams. Prepared by Versar, Inc. Columbia, MD and Maryland Department of Natural Resources, Monitoring and Non-Tidal Assessment Division, Annapolis, MD. <http://www.dnr.state.md.us/Bay/waterqual/mbss/air/>.
- Miller, R.R., J.D. Williams, and J.E. Williams. 1989. Extinctions of North American fishes during the past century. *Fisheries* 14(6):22-36.
- Mills, K.H. and D.W. Schindler. 1986. Biological indicators of lake acidification. *Water, Air, and Soil Pollution* 30:779-789.
- Morgan, R.P., A.J. Janicki, C.K. Murray, M.A. Pawlowski, and M.J. Pinder. 1991. Western Maryland Stream Survey: Relationships between fish distributions, acidification, and watershed characteristics. Prepared by the University of Maryland, Appalachian Environmental Laboratory, Frostburg, MD and Coastal Environmental Services, Inc., Linthicum, MD, for the Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division, Annapolis, MD. AD-91-1.
- Motivans, K. 1997. Personal Communication from K. Motivans, Maryland Department of Natural Resources, Annapolis, MD.
- MRLC (Multi-Resolution Land Characteristics Consortium) 1996a. U.S. Federal Region III land cover data set: metadata. MRLC website, <http://www.epa.gov/mrlc/R3Meta.html>
- MRLC. 1996b. U.S. Federal Region III land cover Version 2.0 metadata. MRLC website, <http://www.epa.gov/mrlc/R3Meta.README.html>

- Murphy, M.L. 1995. Forestry impacts on freshwater habitat of Anadromous Salmonids in the Pacific Northwest and Alaska— Requirements for protection and restoration.. NOAA Coastal Ocean Program Decision Analysis Series No. 7. NCAA Coastal Ocean Office, Silver Spring, MD.
- Newman, R., Kerfoot, W. and Hanscom, Z. 1996. Watercress allelochemical defends high-nitrogen foliage against consumption: effects on freshwater invertebrate herbivores. *Ecology*. 77(8): 2312-2323.
- NOAA (National Oceanic and Atmospheric Administration). 1997. Climatological data annual summary, Maryland and Delaware 1997. National Environmental Satellite, Data and Information Service, National Climatic Data Center, Asheville, NC. Volume 121, number 13.
- NOAA (National Oceanic and Atmospheric Administration). 1996. Climatological data annual summary, Maryland and Delaware 1996. National Environmental Satellite, Data and Information Service, National Climatic Data Center, Asheville, NC. Volume 120, number 13, ISSN 0145-0549.
- NOAA (National Oceanic and Atmospheric Administration). 1995. Climatological data annual summary, Maryland and Delaware 1995. National Environmental Satellite, Data and Information Service, National Climatic Data Center, Asheville, NC. Volume 119, number 13.
- NOAA (National Oceanic and Atmospheric Administration). 1987. Maryland Precipitation Data. http://www.ncdn.noaa.gov/onlineprod/drought/temp/drought_26067.txt.
- Noss, R.F. and A. Y. Cooperrider. 1994. Saving Nature's Legacy. Island Press, Washington, DC. 380 pp.
- Ohio EPA (Ohio Environmental Protection Agency). 1987. Biological criteria for the protection of aquatic life. Volumes I-III. Ohio EPA, Division of Water Quality Monitoring and Assessment, Surface Water Section, Columbus, Ohio.
- Oliver, B.G., E.M. Thurman, and R.L. Malcolm. 1983. The contribution of humic substances to the acidity of colored natural waters. *Geochimica et Cosmochimica Acta* 47:2031-2035.
- Omernik, J.M. 1987. Ecoregions of the conterminous United States. *Annals of the Association of American Geographers* 77:118-125.
- Ormerod S.J. and S.J. Tyler. 1986. The diet of dippers *Cinclus cinclus* wintering in the catchment of the River Wye, Wales. *Bird Study* 33:36-45.
- OTA (U.S. Congress, Office of Technology Assessment). 1987. Technologies to Maintain Biological Diversity. Office of Technology Assessment, Washington, DC.
- Pennington, M. and J.H. Volstad. 1994. Assessing the effect of intra-haul correlation and variable density on estimates of population characteristics for marine surveys. *Biometrics* 50:725-732.
- Pennsylvania Commission of Fisheries (PCF). 1897. Annual report of the State Commissioners of Fisheries for the year 1897. Commonwealth of Pennsylvania, Harrisburg, PA.
- Peper, J.D., L.B. McCartan, J.W. Horton, Jr., and J.E. Reddy. 1999. Preliminary lithogeochemical map showing near-surface rock types in the Chesapeake Bay watershed, Virginia and Maryland. U.S. Dept. Int., U.S. Geol. Survey Open File Report 98-
- Phelps, H.L. 1994. The Asiatic clam (*Corbicula fluminea*) invasion and system-level ecological change in the Potomac River estuary near Washington, D.C. *Estuaries* 17:614-621.
- Plafkin, J.L., M.T. Barbour, K.D. Porter, S.K. Gross and R.M. Hughes. 1989. Rapid bioassessment protocols for use in streams and rivers: Benthic macroinvertebrates and fish. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. EPA 440-4-89-001.
- Powell, A. 1967. Historical information of Maryland Commission of Fisheries with some notes on game. Maryland Dept. Nat. Res. Unpublished report. Annapolis, Maryland.
- Raddum, G.G. and A. Fjelheim. 1984. Acidification and early warning organisms in freshwater in western Norway. *Verh. Int. Verein. Limnol.* 22:1973-1980.

- Ranasinghe, J.A., L.C. Scott, and S.B. Weisberg. 1996. Chesapeake Bay Water Quality Monitoring Program: Long-term benthic monitoring and assessment component, Level I comprehensive report. Prepared by Versar, Inc., Columbia, MD, for Maryland Department of Natural Resources, Tidewater Ecosystem Assessment Division.
- Ranasinghe, J.A., S.B. Weisberg, D.M. Dauer, L.C. Schaffner, R.J. Diaz, and J.B. Frithsen. 1994. Chesapeake Bay Benthic Community Restoration Goals. Prepared by Versar, Inc. for U.S. EPA and the Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division.
- Rankin, E.T. 1995. Habitat indices in water resource quality assessments. In: Davis, W.S. and T.P. Simon, eds. 1995. Biological assessment and criteria: tools for water resource planning and decision making. Lewis Publishers, Boca Raton, FL.
- Rankin, E.T. 1989. The Qualitative Habitat Evaluation Index (QHEI): Rationale, methods, and application. Ohio EPA, Division of Water Quality Planning and Assessment, Ecological Analysis Section, Columbus, OH.
- Reger, J. 1995. Memorandum from J. Reger, Maryland Geological Survey, Environmental Geology and Mineral Resources, to J. Perdue, A. Raspberry, and E. Bradley. Digital files and metadata for draft physiographic map of Maryland. 14 July 1995.
- Resh, V. H., 1995. Freshwater benthic macroinvertebrates and rapid assessment procedures for water quality monitoring in the developing and newly industrialized countries. In: Davis, W.S. and T.P. Simon, eds. 1995. Biological assessment and criteria: tools for water resource planning and decision making. Lewis Publishers, Boca Raton, FL.
- Richards, C., G.E. Host, and J.W. Arthur. 1993. Identification of predominant environmental factors structuring stream macroinvertebrate communities within a large agricultural catchment. *Freshwater Biology* 29:285-294.
- Richards, C., L.B. Johnson, and G.E. Host. 1996. Landscape-scale influences on stream habitats and biota. *Canadian Journal of Fisheries and Aquatic Sciences*. 53(Suppl. 1): 295-311.
- Richkus, W.A. and K. Whalen. 1999. American Eel (*Anguilla rostrata*) Scoping Study Report: A literature and data review of life history, stock status, population dynamics, and hydroelectric facility impacts. EPRI, Palo Alto, CA: Report TR-111873.
- Roland Thomas, D. and J.N. Rao. 1987. Small sample comparisons of level and power for simple goodness-of-fit statistics under cluster sampling. *Journal of the American Statistical Association* 80:148-157.
- Rosgen, D.L. 1996. Applied river morphology. Wildland Hydrology, Pegosa Springs, Colorado.
- Roth, N.E., M.T. Southerland, J.C. Chaillou, R.J. Klauda, P.F. Kazyak, S.A. Stranko, S.B. Weisberg, L.W. Hall, Jr., and R.P. Morgan II. 1998. Maryland Biological Stream Survey: Development of a Fish Index of Biotic Integrity. *Environmental Management and Assessment* 51:89-106.
- Roth, N.E., M.T. Southerland, J.C. Chaillou, H.T. Wilson, D.G. Heimbuch, and J.C. Seibel. 1998. Maryland Biological Stream Survey: Ecological Status of Non-tidal Streams Sampled in 1996. Prepared by Versar, Inc., Columbia, MD, and Post, Buckley, Schuh, and Jernigan, Inc., Bowie, MD, for Maryland Department of Natural Resources, Monitoring and Non-Tidal Assessment Division. CBWP- MANTA-EA-98-1
- Roth, N.E., M.T. Southerland, J.C. Chaillou, J.H. Volstad, S.B. Weisberg, H.T. Wilson, D.G. Heimbuch, and J.C. Seibel. 1997. Maryland Biological Stream Survey: Ecological Status of Non-Tidal Streams in Six Basins Sampled in 1995. Prepared by Versar, Inc., Columbia, MD, and Coastal Environmental Services, Linthicum, MD for Maryland Department of Natural Resources, Monitoring and Non-Tidal Assessment Division. CBWP-MANTA-EA-97-2.
- Roth, N.E., M.T. Southerland, G. Mercurio, J.C. Chaillou, D.G. Heimbuch, and J.C. Seibel. 1999. Maryland Biological Stream Survey: 1997 Individual Basin Data Summaries. Prepared by Versar, Inc., Columbia, MD, and Post, Buckley, Schuh, and Jernigan, Inc., Bowie MD, for Maryland Department of Natural Resources, Monitoring and Non-Tidal Assessment Division.
- Roth, N.E., J.D. Allan, and D.L. Erickson. 1996. Landscape influences on stream biotic integrity assessed at multiple spatial scales. *Landscape Ecology* 11:141-156.

- Saerndal, C.E., B. Swensson, and J. Wretman. 1992. Model Assisted Survey Sampling. Springer-Verlag, New York. 694 pp.
- Sand-Jensen, K. and Mebus, J.R. 1996. Fine-scale patterns of water velocity within macrophyte patches in streams. *Oikos*. 76: 169-80.
- Schindler, D.W. 1988. Effects of acid rain on freshwater ecosystems. *Science* 239:149-157.
- Schindler, D.W., S.E.M. Kasian, and R.H. Hesslein. 1989. Biological impoverishment in lakes of the Midwestern and Northeastern United States from acid rain. *Environmental Science and Technology* 23:573-580.
- Schlosser, I.J. 1991. Stream fish ecology: a landscape perspective. *BioScience* 41:704-712.
- Schueler, T. 1994. The importance of imperviousness. *Watershed Protection Techniques* 1:100-111.
- Seber, G.A.F. 1982. The estimation of animal abundance. Second edition. Macmillan Publishing Co., New York.
- Seber, G.A.F. and E.D. LeCren. 1967. Estimating population parameters from catches large relative to the population. *Journal of Animal Ecology* 36:631-643.
- Sevino, J.F. and Stein, R.A. 1982. Predator-prey interaction between largemouth bass and bluegills as influenced by simulated, submersed vegetation. *Transactions of the American Fisheries Society*. 111: 255-66.
- Simon, T.P. ed. 1999. *Assessing the Sustainability and Biological Integrity of Water Resources Using Fish Communities*. CRC Press, Washington DC.
- Simonson, T. D., Lyons, J., and Kanehl, P.D. 1994. Quantifying fish habitat in streams: transect spacing, sample size, and a proposed framework. *North American Journal of Fisheries Management*. 14:607-15.
- Skinner, C.J., D. Holt and T.M.F. Smith. 1989. Analysis of Complex Surveys. John Wiley and Sons, New York.
- Southerland, M.T. 1998. Setting Biodiversity Goals: The Role of Reference-based Indicators. Abstract. 83rd Annual Meeting of Ecological Society of America, Baltimore, MD.
- Southerland, M.T., N.E. Roth, and S.K. Patty. 1999. Freshwater biodiversity hotspots in Maryland. *Proceedings of Conservation of Biological Diversity: A Key to the Restoration of the Chesapeake Bay Ecosystem and Beyond*. Maryland Department of Natural Resources, Annapolis. May 10-13.
- Southerland, M.T., N.E. Roth, and S.K. Patty. 1998. Freshwater Biodiversity Hotspots in Maryland. Prepared by Versar, Inc. for Power Plant Research Program, Maryland Department of Natural Resources, Annapolis, MD. September.
- Steedman, R.J. 1988. Modification and assessment of an index of biotic integrity to quantify stream quality in southern Ontario. *Canadian Journal of Fisheries and Aquatic Science* 45:492-501.
- Stephenson, M. and G. L. Mackie. 1986. Lake acidification as a limiting factor in the distribution of the freshwater amphipod *Hyaella azteca*. *Canadian Journal of Fisheries and Aquatic Science* 43:288-292.
- Strahler, A.N. 1957. Quantitative analysis of watershed geomorphology. *Transactions of the American Geophysical Union* 38(6):913-920.
- Strayer, D. 1983. The effects of surface geology and stream size on freshwater mussels (*Bivalvia*, *Unionidae*) Distribution in southwestern Michigan, USA. *Freshwater Biology* (13) 253-163.
- Stribling J.B., B.K. Jessup, J.S. White, D. Boward, and M. Hurd. 1998. Development of a Benthic Index of Biotic Integrity for Maryland Streams. Prepared by Tetra Tech, Inc., Owings Mills, MD and Maryland Department of Natural Resources, Monitoring and Non-Tidal Assessment Program. CBWP-MANTA-EA-98-3.
- TNC (The Nature Conservancy). 1998. Rivers of life: Critical watersheds for protecting freshwater biodiversity. <http://www.tnc.org>.

- Tornatore, T., P. Jacobson, J. Gerritsen and A. Janicki. 1992. Data sets for developing measures of biological integrity in Maryland streams. Prepared by Versar, Inc., Columbia, MD, for the Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division, Annapolis, MD. AD-93-7.
- United States Department of Commerce, Economics and Statistics Administration (USCOM). 1992. 1990 census: Maryland state and county data. Govt. Printing Office, Washington, D.C.
- United States Environmental Protection Agency (EPA). 1993. Total waters estimates for United States streams and lakes: Total Waters Database and Reporting Program. Monitoring Branch Assessment and Watershed Protection Division, Office of Wetlands, Oceans and Watersheds, Office of Water, Wash., DC.
- United States Geological Survey (USGS). 1996. Water resources data for Maryland and Delaware, Water Year 1996: Volume 2. Groundwater data. U.S. Geol. Surv. Water-Data Report MD-DE-96-2. Towson, Maryland.
- Vannote, R.L., G.W. Minshall, K.W. Cummins, J.R. Sedell, and C.E. Cushing. 1980. The river continuum concept. *Canadian Journal of Fisheries and Aquatic Science* 37:130-137.
- Vølstad, J. H., M. Southerland, J. Chaillou, H. Wilson, D. Heimbuch, P. Jacobson and S. Weisberg. 1995. The Maryland Biological Stream Survey: The 1993 Pilot Study. Prepared by Versar, Inc., Columbia, MD, for Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division, Annapolis, MD. CBRM-AD-95-3.
- Vølstad, J.H., M.T. Southerland, S.B. Weisberg, H.T. Wilson, D.G. Heimbuch, and J.C. Seibel. 1996. Maryland Biological Stream Survey: the 1994 Demonstration Project. Prepared by Versar, Inc., Columbia, MD, for Maryland Department of Natural Resources, Monitoring and Non-Tidal Assessment Division, Annapolis, MD. CBWP-MANTA-EA-95-9.
- Walker, Patrick, N. 1970. Water in Maryland: a review of the Free State's liquid assets. Maryland Geological Survey Educational Series No. 2 Maryland Geological Survey, Baltimore, Maryland.
- Watters, G. 1993. Mussel diversity as a function of drainage area and fish diversity: management implications. In: *Conservation and Management of Freshwater Mussels: Proceedings of a UMRCC Symposium*, St. Louis, Missouri.
- Weisberg, S.B., J.A. Ranasinghe, D.M. Dauer, L.C. Schaffner, R.J. Diaz, and J.B. Frithsen. 1997. An estuarine benthic index of biotic integrity (B-IBI) for Chesapeake Bay. *Estuaries* 20:149-158.
- Wigington, P.J., Jr., J.P. Baker, D.R. DeWalle, W.A. Kretser, P.S. Murdoch, H.A. Simonin, J. Van Sickle, M.K. McDowell, D.V. Peck, and W.R. Harchet. 1993. Episodic acidification of streams in the northeastern United States: Chemical and biological results of the Episodic Response Project. EPA Environmental Research Laboratory, Corvallis, OR. EPA/600/R-93-190.
- Williams, J.E., J.E. Johnson, D.A. Hendrickson, S. Contreras-Balderas, J.D. Williams, M. Navarro-Mendoza, D.E. McAllister and J. E. Deacon. 1989. Fishes of North America endangered, threatened, or of special concern. *Fisheries* 14:2-22.
- Wu, C.F. and L.Y. Deng. 1983. Estimation of variance of the ratio estimator: An empirical study. In: *Scientific Inference, Data Analysis and Robustness*, G.E.P. Box et al., eds. Academic Press, New York, pp. 245-277.